



UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

BC 2

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. |
|-----------------|-------------|----------------------|---------------------|
|-----------------|-------------|----------------------|---------------------|

09/252,034 02/18/99 HOSHINO

S WN-1979

000466
YOUNG & THOMPSON
745 SOUTH 23RD STREET 2ND FLOOR
ARLINGTON VA 22202

WM31/0510

| EXAMINER |
|----------|
|----------|

AHMED, S

| ART UNIT | PAPER NUMBER |
|----------|--------------|
|----------|--------------|

2623

DATE MAILED:

9
05/10/01

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents and Trademarks

BEST AVAILABLE COPY



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

09/252034

| | | | |
|---------------|-------------|-----------------------|---------------------|
| SERIAL NUMBER | FILING DATE | FIRST NAMED APPLICANT | ATTORNEY DOCKET NO. |
| | | | |

| | |
|----------|--------------|
| EXAMINER | |
| | |
| ART UNIT | PAPER NUMBER |
| | |

DATE MAILED: 9

Below is a communication from the EXAMINER in charge of this application

COMMISSIONER OF PATENTS AND TRADEMARKS

ADVISORY ACTION

☒ THE PERIOD FOR RESPONSE:

- a) ☒ is extended to run _____ or continues to run 3 months from the date of the final rejection
- b) ☐ expires three months from the date of the final rejection or as of the mailing date of this Advisory Action, whichever is later. In no event however, will the statutory period for the response expire later than six months from the date of the final rejection.

Any extension of time must be obtained by filing a petition under 37 CFR 1.136(a), the proposed response and the appropriate fee. The date on which the response, the petition, and the fee have been filed is the date of the response and also the date for the purposes of determining the period of extension and the corresponding amount of the fee. Any extension fee pursuant to 37 CFR 1.17 will be calculated from the date of the originally set shortened statutory period for response or as set forth in b) above.

- ☐ Appellant's Brief is due in accordance with 37 CFR 1.192(a).
- ☐ Applicant's response to the final rejection, filed _____ has been considered with the following effect, but it is not deemed to place the application in condition for allowance:
1. ☐ The proposed amendments to the claim and/or specification will not be entered and the final rejection stands because:
- ☐ There is no convincing showing under 37 CFR 1.116(b) why the proposed amendment is necessary and was not earlier presented.
 - ☐ They raise new issues that would require further consideration and/or search. (See Note).
 - ☐ They raise the issue of new matter. (See Note).
 - ☐ They are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal.
 - ☐ They present additional claims without cancelling a corresponding number of finally rejected claims.

NOTE:

2. ☐ Newly proposed or amended claims _____ would be allowed if submitted in a separately filed amendment cancelling the non-allowable claims.
3. ☒ Upon the filing an appeal, the proposed amendment ☐ will be entered ☒ will not be entered and the status of the claims will be as follows:

Claims allowed: none

Claims objected to: none

Claims rejected: 8-25

However;

- ☐ Applicant's response has overcome the following rejection(s):

4. ☒ The affidavit, exhibit or request for reconsideration has been considered but does not overcome the rejection because no where in the specification as originally filed there is a recitation of applying a first pressure to the contact surface and permitting movement of
5. ☐ The affidavit or exhibit will not be considered because applicant has not shown good and sufficient reasons why it was not earlier presented. the contact surface below the detent position when the pressure is greater than the first pressure. the specification
- ☐ The proposed drawing correction ☐ has ☐ has not been approved by the examiner.
- ☐ Other recites specifically that the tongue applies pressure and when the contact surface is pushed down to the lock mechanism placed at a predetermined position, it is locked by the mechanism (Pg 6, L15-17) i.e. it does not move beyond the detent position.